










Views and ground plan - Julkisivut ja pohjapiirustus - Fasader och grundplan





Roof Pmax=100kg/m2
V 1,0



		House	F3330-28 Berit	Sheet	1
Drawing	Views-kuvat-sedd	Scale	1:100		
Material	28x135	Date	02.12.2015		
Drawer	K.K.	File	F3330-28 Berit views.dwg		





House	F3330-28 Berit	Sheet	2
Drawing	Floorbeams-lattipalkit-golvbjälkar	Scale	1:35
Material	4.3x90	Date	02.12.2015
Drawer	K.K.	File	F3330-28 Berit.dwg





House	F3330-28 Berit	Sheet	3
Drawing	FLOORBOARD-LATTIALAUTA-GOLVBRÄDE	Scale	1:35
Material		Date	02.12.2015
Drawer	K.K.	File	F3330-28 Berit.dwg





House	F3330-28 Berit	Sheet	4
Drawing	Groundplan	Scale	1:35
Material	28x135	Date	02.12.2015
Drawer	K.K.	File	F3330-28 Berit.dwg





House	F3330-28 Berit	Sheet	6
Drawing	WAND B	Scale	1:35
Material	2.8x13.5	Date	02.12.2015
Drawer	K.K.	File	F3330-28 Berit.dwg


























House	F3330-28 Berit	Sheet	7
Drawing	WAND 1	Scale	1:35
Material	2.8x13.5	Date	02.12.2015
Drawer	K.K.	File	F3330-28 Berit.dwg



















House	F3330-28 Berit	Sheet	8
Drawing	WAND 2	Scale	1:35
Material	2.8x13.5	Date	02.12.2015
Drawer	K.K.	File	F3330-28 Berit.dwg




House	F3330-28 Berit	Sheet	9
Drawing	ROOFBEAMS-KATTO-ORRET-TAKASAR	Scale	1:35
Material	28x135	Date	02.12.2015
Drawer	K.K.	File	F3330-28 Berit.dwg

Pos	F3330-28 Berit	St.	Profil (mm)	L (mm)
001		1	28x135	3630
002		1	28x135	3630
003		2	28x135	3530
004	 +1= EXTRA PROFILE	14+1	28x135	3530
005		1	28x68	3530
006		2	28x135	3380
007		21	28x135	3230
008		2	28x135	2806
009		2	28x135	1871
010		10	28x135	1110
011		2	28x68	960
012		28	28x135	960
013		2	28x129	935
	BOARD FOR ASSEMBLING - ASENNUSLAUTA - SLAGBRÄDE 	2	28x135	300
W1-1		1	28x534	3530
W2-1		1	28x534	3530
FB2	FLOORBEAM-LATTIAPALKIT-GOLVBÄLKAR 	6	43x90	3235
FB1	FLOORBEAM-LATTIAPALKIT-GOLVBÄLKAR 	2	43x90	3020
RB1	ROOFBEAMS-KATTO-ORRET-TAKASAR 	2	43x140	3630
RB2	ROOFBEAMS-KATTO-ORRET-TAKASAR 	1	43x140	3630
F	FLOORBOARD-LATTIALAUTA-GOLVBRÄDE  88mm or-tai-eller 114mm	38+1 29+1	88x19 114x19	2970
R	ROOFBOARD-KATTOLAUTA-TAKBRÄDE  88mm or-tai-eller 114mm	84+1 64+1	88x19 114x19	1941
FF	FLOOR FILLET-LATTIALISTA-GOLVLIST 		18x30	12.48



Pos	F3330-28 Berit	St.	Profil (mm)	L (mm)	
GB	GABLE BOARD-KAAPELILAUTA-GAVELBRÄDA 	4	19x120	1970	
EB	EAVE BOARD-RÄYSTÄSLAUTA-TAKFOTBRÄDE 	2	19x90	3630	
ES	EAVE SLAT-RÄYSTASLISTA-TAKFOTLIST 	2	30x40	3630	
RFF	ROOF FELT FILLET - KATON PÄÄTYLAUTA - BRÄDE OVPANPÅ GAVELBRÄDE 	4	19x70	1980	
D	DECORATIVE - KORISTE - PRYDNADS 	2	19x100	200	
	NAILS - NAULAT - SPIKAR  FLOORBOARD - LATTIALAUTA - GOLVBRÄDE ROOFBOARD - KATTOLAUTAT - TAKBRÄDE	535	2,5x60		
	NAILS - NAULAT - SPIKAR  FLOORBEAMS - LATTIAPALKIT - GOLVBJÄLKAR	40	5,0x100		
	SCREWS - RUUVIT - SKRUVAR  ROOF FELT FILLET-KATON PÄÄTYLAUTA-TAKBRÄDE FÖR GAVELBRÄDA SKIRTING SLAT - LATTIALISTA - GOLVLIST	45	3,5x35		
	SCREWS - RUUVIT - SKRUVAR  EAVE BOARD - RÄYSTÄSLAUTA - TAKFOTSBRÄDE EAVE SLAT - RÄYSTASLISTA - TAKFOTSLIST GABLE BOARD - KAAPELILAUTA - GAVELBRÄDA TERRACE BOARD - TERRASILAUTA - TERASSBRÄDE	345	4,5x50		
	SCREWS - RUUVIT - SKRUVAR  FIXING HALF BEAMS VAHVISTETTAVA PUOLIKKAAT PALKIT FÖR ATT FASTA HALVA VÄGGPROFILER	10	4,5x90		
	DOOR LATCH (CLOSER)-OVEN SALPA-DÖRR SPÄRREN 	1			
	DOOR HINGES-OVEN SARANAT-DÖRR GÅNGJÄRN 	4			
	WINDOW CROSSES-IKKUNARISTIKKO-SPRÖJS 	1			
	WINDOW HANDLE-IKKUNA KAHVA-FÖNSTER HANDTAG 	1			
		Right	1	1600	1930
	 Window 1000x640 (left) 1pc AST ISO KP		1	640	1000






Detta är ett förslag för hur man kan placera plintarna (100- 200 mm i diameter) för golvhjälklaget. Golvhjälkarna är med i byggsatsen, men inte plintarna. Använder man exempelvis 500-600mm långa murblock så kan man halvera antalet punkter. Lägg fuktskyddande papp mellan betong och trä

Tänå on ehdotus siitä, miten (100-200 mm läpimittaiset) jäät voidaan sijoittaa alapohjan varten. Lattiapalkit ovat rakennussarjassa, mutta jalokja ei ole. Kun käytetään esimerkiksi 500-600 mm pitkiä harkkoja, voidaan pisteden määrä puolittaa. Aseta betoniin ja puun väliin kosteudenta suojaava pähvi

A proposal for placing plinths (100-200 mm in diameter) for floor beams. Floor beams are provided in the kit but plinths are not included. For example, by using 500-600 mm long masonry units, one can reduce the number of points 50%. Place cardboard between the concrete and wood to protect from moisture



House	F3330-28 Berit	Sheet	12
Drawing	FOUNDATION PLAN - PLINTPLAN	Scale	1:35
Material		Date	02.12.2015
Drawer	K.K.	File	F3330-28 Berit.dwg